
RT-D10R

10.1" Android Industrial Panel PC

Model specifications



Display: 10.1-inch
Operating system: Android 12
Protection: Front panel IP65
Processor: Rockchip RK3568

Product Form

Specification	Value
Product Form	10.1" Android Industrial Panel PC
Dimensions	315 × 168 × 38 mm
Installation Method	Desktop, Wall-mounted, Cantilever
Protection Rating	Front panel IP65

Hardware Configuration

Specification	Value
CPU	Rockchip RK3568 quad-core 64-bit ARM V8.2 Cortex-A55 processor Maximum frequency: 2.0 GHz
GPU	Mali-G52-2 EE
RAM	4 GB onboard
Storage	64 GB

System

Specification	Value
Operating System	Android 12

Display

Specification	Value
Screen size	10.1 in
Resolution	800 × 1280
Brightness	700 nits
Touch Screen	10-point capacitive Touch

Network

Specification	Standard	Optional
Wi-Fi	Wi-Fi 802.11 (a/b/g/n/ac) 2.4 GHz / 5 GHz	
Bluetooth	Bluetooth 5.0	
Cellular network		MeiG SLM750-VE, M.2 interface: B1/B3/B5/B7/B8/B20 LTE-TDD B40, WCDMA: B1/B5/B8 GSM: 900/1800

Other

Specification	Standard	Optional
Card Slot	SIM × 1 TF × 1 (Built-in)	
USB	Type-A USB (Exposed); USB 3.0 × 1 + USB 3.0 × 1 OTG+USB 2.0 × 2	
RJ45	RJ45 interface × 1 (10/100/1000 M Adaptive)	
DC	DC 12 V × 1+Phoenix Terminal	
Antenna interface	SMA × 2	
Operating Temperature	-20 °C to 60 °C	
Storage Temperature	-30 °C to 70 °C	
Humidity	95% Non-condensing	
Protection and standards	Front panel IP65; CCC	
Accessories		12 V / 4 A adapter; Wi-Fi antennas; 4G antenna
Expansion options	Built-in LED indicator; card reader operating at 13.56 MHz and 125 kHz	Barcode scanning module; front camera

Power Supply

Specification	Value
Power Input	AC 100 V ~ 240 V, 50 Hz/60 Hz Output: DC 12 V/4 A

Specifications vary by configuration and region. Confirm the exact configuration in your quotation.